INT. J. PROD. RES., 1998, VOL. 36, NO. 12, 3527–3537

INDEX OF AUTHORS (WITH TITLES)

PAGE

Abdelhay, A. M., *see* El-Wahab, A. I.
Acharya, D., *see* Nayak, G. K.
Adam Jr, E. E., *see* Corbett, L. M.
Agarwal, M., *see* Ngoi, B. K. A.
Aghezzaf, E. H., and Artiba, A.: Aggregate planning in hybrid flowshops 2463
Agnetis, A., and Macchiaroli, R.: Modelling and optimization of the assembly process in a flexible cell for aircraft panel manufacturing. 815
Akturk, M. S., and Wilson, G. R.: A hierarchical model for the cell loading problem of cellular manufacturing systems 2005
Albino, V., Garavelli, A. C., and Okogbaa, O. G.: Vulnerability of production systems with multi-supplier network: a case study 3055
Aldakhilallah, K. A., and Ramesh, R.: An integrated framework for automated process planning: design and analysis 939
Altassan, K. M., *see* Malmborg, C. J.
Al-Turki, Y. A. Y., *see* Gupta, S. M.
Anifantis, N., *see* Chryssolouris, G.
Anwar, M. F., and Nagi, R.: Integrated scheduling of material handling and manufacturing activities for just-in-time production of complex assemblies . . 653
Arthur, A., and Dickens, P. M.: The measurement of heat distribution in stereolithography electrodes during electro-discharge machining 2451
Artiba, A., *see* Aghezzaf, E. H.
Ashiagbor, A., Liu, H.-C., and Nnaji, B. O.: Tolerance control and propagation for the product assembly modeller 75
Asiedu, Y., and Gu, P.: Product life cycle cost analysis: state of the art review. . . 883
Atmani, A., and Lashkari, R. S.: A model of machine-tool selection and operation allocation in FMS 1339
Avella, L., Fernandez, E., and Vazquez, C. J.: Taxonomy of the manufacturing strategies of large Spanish industrial companies 3113
Avramidis, A. N., Healy, K. J., and Uzsoy, R.: Control of a batch-processing machine: a computational approach 3167

Backhouse, C. J., *see* Brookes, N. J.
Baek, D. H., Yoon, W. C., and Park, S. C.: A spatial rule adaptation procedure for reliable production control in a wafer fabrication system 1475
Baker, R. P., and Maropoulos, P. G.: Manufacturing capability measurement for cellular manufacturing systems 2511
Balan, C. V., *see* Sarker, B. R.
Barad, M., and Sinriech, D.: A Petri net model for the operational design and analysis of segmented flow topology (SFT) AGV systems. 1401
Barber, M. I., and Weston, R. H.: Scoping study on business process reengineering: towards successful IT application 575
Barcia, R. M., *see* Candido, M. A. B.
Barker, R. C.: An emerging theory of negative loss formation within manufacturing operations. 1293
Batra, J. L., *see* Rajotia, S.
Baykasoglu, A., *see* Sonmez, A. I.
Beamon, B. M.: Performance, reliability, and performability of material handling systems. 377
Bell, R., *see* Newman, S. T.

Ben-Daya, M., *see* Rahim, M. A.
Bidanda, B., Kadidal, M., and Billo, R. E.: Development of an intelligent castability and cost estimation system 547
Bidanda, B., *see* Cohen, Y.
Billo, R. E., *see* Bidanda, B.
Billo, R. E., *see* Cohen, Y.
Blackstone, J. H., Jr, *see* Gardiner, S. C.
Boctor, F., *see* Ouenniche, J.
Boyd, A. H., and Radson, D.: Statistical analysis of downtime severity rates . . . 603
Bozyel, M. A., *see* Özdamar, L.
Bragg, D. J., *see* Duplaga, E. A.
Braha, D., *see* Maimon, O. Z.
Brookes, N. J., and Backhouse, C. J.: Understanding concurrent engineering implementation: a case-study approach 3035
Bukchin, J.: A comparative study of performance measures for throughput of a mixed model assembly line in a JIT environment 2669
Bukhari, F. A., *see* Malmborg, C. J.
Bullinger, H.-J., Fähnrich, K.-P., and Linsenmaier, T.: A conceptual approach for an architecture of distributed objects for the integration of heterogeneous data processing systems in manufacturing 2997

Candido, M. A. B., Khator, S. K., and Barcia, R. M.: A genetic algorithm based procedure for more realistic job shop scheduling problems 3437
Caron, F., Marchet, G., and Perego, A.: Routing policies and COI-based storage policies in picker-to-part systems 713
Chan, S. K., *see* Tam, K. Y.
Chang, M., and Gossard, D. C.: Computational method for diagnosis of variation-related assembly problems 2985
Chang, T.-C., *see* Wu, H.-C.
Chang, T.-M., and Yih, Y.: A fuzzy rule-based approach for dynamic control of kanbans in a generic kanban system 2247
Chen, J.-M.: Determining minimax profile errors for the cross-sections of machined parts 1105
Chen, M.-C., and Su, C.-T.: Optimization of machining conditions for turning cylindrical stocks into continuous finished profiles 2115
Chen, Y.-T., and Kumara, S. R. T.: Fuzzy logic and neural networks for design of process parameters: a grinding process application 395
Cheng, C. H., Gupta, Y. P., Lee, W. H., and Wong, K. F.: A TSP-based heuristic for forming machine groups and part families 1325
Cheong, K. C., *see* Ngoi, B. K. A.
Cheraghi, S. H., *see* Ramani, B.
Cho, B.-R., and Phillips, M. D.: Design of the optimum product specifications for S-type quality characteristics 459
Cho, H.: Petri net models for message manipulation and event monitoring in an FMS cell 231
Choi, C. K., Zha, X. F., Ng, T. L., and Lau, W. S.: On the automatic generation of product assembly sequences 617
Choi, J.-S., *see* Kim, D.-W.
Chou, H.-C., *see* Hsieh, S.
Chryssolouris, G., Anifantis, N., and Karagiannis, S.: An approach to the dynamic modelling of manufacturing systems 475
Chu, C., Proth, J.-M., and Wang, C.: Improving job-shop schedules through critical pairwise exchanges 683
Chua, C. S., *see* Ngoi, B. K. A.
Chung, C. H., *see* Lee, J.-M.
Cigolini, R., Perona, M., and Portioli, A.: Comparison of Order Review and Release techniques in a dynamic and uncertain job shop environment 2931

Cochran, J. K., and Kim, S.-S.: Optimum junction point location and inventory levels in serial hybrid push/pull production systems 1141
Cochran, J. K., *see* Stahlman, E. J.
Cohen, Y., Bidanda, B., and Billo, R. E.: Accelerating the generation of work measurement standards through automatic speech recognition: a laboratory study 2701
Coit, D. W., Jackson, B. T., and Smith, A. E.: Static neural network process models: considerations and cast studies 2953
Corbett, L. M., Adam Jr, E. E., Harrison, N. J., Lee, T. S., Rho, B.-H., and Samson, D.: A study of quality management practices and performance in Asia and the South Pacific 2597
Cormier, D., O'Grady, P., and Sanii, E.: A constraint-based genetic algorithm for concurrent engineering 1679
Cuesta, E., Rico, J. C., Mateos, S., and Suarez, C. M.: Times and costs analysis for sheet-metal cutting processes in an integrated CAD/CAM system 1733
Currie, K. R., *see* Kattan, I. A.

De, S., and Lee, A.: Towards a knowledge-based scheduling system for semiconductor testing 1045
de Souza, R., *see* Spedding, T. A.
De Toni, A., and Tonchia, S.: Manufacturing flexibility: a literature review 1587
Detand, J., *see* Van Zeir, G.
Di Nuzzo, F., *see* Forza, C.
Dickens, P. M., *see* Arthur, A.
Duplaga, E. A., and Bragg, D. J.: Mixed-model assembly line sequencing heuristics for smoothing component parts usage: a comparative analysis 2209

Eckstein, A. L. H., and Rohleder, T. R.: Incorporating human resources in group technology/cellular manufacturing 1199
Egbelu, P. J., *see* McKoy, D. H. C.
Elsayed, E. A., *see* Hong, S. H.
El-Wahab, A. I., and Abdelhay, A. M.: A new algorithm and tool design for CNC profile burnishing 1977
Esfarjani, K., and Nof, S. Y.: Client-server model of integrated production facilities 3295
Esquirol, P., *see* Lopez, P.

Fähnrich, K.-P., *see* Bullinger, H.-J.
Fernandez, E., *see* Avella, L.
Filippini, R., Forza, C., and Vinelli, A.: Trade-off and compatibility between performance: definitions and empirical evidence 3379
Forza, C., and Di Nuzzo, F.: Meta-analysis applied to operations management: summarizing the results of empirical research 837
Forza, C., *see* Filippini, R.
Frazier, G. V., *see* McMullen, P. R.
Fry, T. D., Steele, D. C., and Saladin, B. A.: The use of management accounting systems in manufacturing 503
Fujiwara, O., Yue, X., Sangaradas, K., and Luong, H. T.: Evaluation of performance measures for multi-part, single-product kanban controlled assembly systems with stochastic acquisition and production lead times 1427
Fukuda, Y., *see* Kryssanov, V. V.
Fung, R. Y. K., Popplewell, K., and Xie, J.: An intelligent hybrid system for customer requirements analysis and product attribute targets determination 13

Garavelli, A. C., *see* Albino, V.
Gardiner, S. C., and Blackstone, J. H., Jr: Dynamic buffering 333
Gau, Y.-S., *see* Veeramani, D.
Gindy, N. N. Z., Yue, Y., and Zhu, C.-F.: Automated feature validation for creating/editing feature-based component data models 2479
Goh, T. N., *see* Lu, X. S.
Gossard, D. C., *see* Chang, M.
Grabot, B.: Objective satisfaction assessment using neural nets for balancing multiple objectives 2377
Gu, P., *see* Asiedu, Y.
Gu, P., *see* Huang, X.
Gunasekaran, A.: Agile manufacturing: enablers and an implementation framework . 1223
Gupta, A., *see* Webster, S.
Gupta, J. N. D., and Tunc, E. A.: Minimizing tardy jobs in a two-stage hybrid flowshop 2397
Gupta, S. M., and Al-Turki, Y. A. Y.: The effect of sudden material handling system breakdown on the performance of a JIT system 1935
Gupta, S. M., *see* Moyer, L. K.
Gupta, Y. P., *see* Cheng, C. H.

Handfield, R. B., *see* Tan, K. C.
Harrison, N. J., *see* Corbett, L. M.
Hascoët, J. Y., *see* Legoff, O.
Haudot, L., *see* Lopez, P.
Heady, R. B., and Zhu, Z.: Minimizing the sum of job earliness and tardiness in a multimachine system 1619
Healy, K. J., *see* Avramidis, A. N.
Hemminki, J., Leipälä, T., and Nevalainen, O.: On-line packaging with boxes of different sizes 2225
Heragu, S. S., *see* Kochhar, J. S.
Herbon, A.: On-line production control of a flexible multi-cell manufacturing system operating in a highly dynamic environment 2771
Ho, C.-J., and Ireland, T. C.: Correlating MRP system nervousness with forecast errors 2285
Hong, S. H., and Elsayed, E. A.: Economic complete inspection plans with multi-decision alternatives 3367
Hopp, W. J., and Roof, M. L.: Setting WIP levels with statistical throughput control (STC) in CONWIP production lines 867
Hsieh, S., Hwang, J.-S., and Chou, H.-C.: A Petri-net-based structure for AS/RS operation modelling 3323
Hsu, C.-M., *see* Su, C.-T.
Huang, C.-C., and Kusiak, A.: Manufacturing control with a push–pull approach . 251
Huang, S.-C., and Lin, J. T.: An interactive scheduler for a wafer probe centre in semiconductor manufacturing 1883
Huang, X., and Gu, P.: CAD-model based inspection of sculptured surfaces with datums 1351
Hui, Y. V., *see* Lu, W. L.
Hutchinson, G. K., *see* Pflughoeft, K. A.
Hwang, H., and Sun, J. U.: Production sequencing problem with re-entrant work flows and sequence dependent setup times 2435
Hwang, J.-S., *see* Hsieh, S.

Ip, W. L. R.: A fuzzy basis material removal optimization strategy for sculptured surface machining using ball-nosed cutters 2553
Ireland, T. C., *see* Ho, C.-J.
Islier, A. A.: A genetic algorithm approach for multiple criteria facility layout design 1549

Jackson, B. T., *see* Coit, D. W.
Jain, A. S., and Meeran, S.: Job-shop scheduling using neural networks 1249
Jamil, A. T. M.: A semi-analytical method of finding an optimum cutter path for face milling 3-sided convex surfaces 343
Jaura, A., Osman, M. O. M., and Krouglicof, N.: Hybrid compliance control for intelligent assembly in a robot work cell. 2573
Jayakrishnan Nair, G., and Narendran, T. T.: CASE: A clustering algorithm for cell formation with sequence data 157
Jeang, A.: Tolerance chart optimization for quality and cost 2969
Jensen, J. B., Malhotra, M. K., and Philipoom, P. R.: Family-based scheduling of shops with functional layouts 2687
Jeong, K.-C., and Kim, Y.-D.: A real-time scheduling mechanism for a flexible manufacturing system: using simulation and dispatching rules 2609
Jiang, L., *see* Yang, Z.
Jog, P. D., *see* Webster, S.
Johnson, M. R., and Wang, M. H.: Economical evaluation of disassembly operations for recycling, remanufacturing and reuse 3227
Jordan, C.: A two-phase genetic algorithm to solve variants of the batch sequencing problem 745
Joshi, S. B., *see* Tseng, Y.-J.

Kadidal, M., *see* Bidanda, B.
Kao, Y., and Moon, Y. B.: Feature-based memory association for group technology 1653
Karagiannis, S., *see* Chryssolouris, G.
Katayama, H.: An integrated management procedure of multi-item mixed-line production system—its hierarchical structure and performance evaluation . . . 2633
Kattan, I. A., Venkatesh, V. C., and Currie, K. R.: A comparative study of the effect of tool geometry with negative SCEAs on machining parameters 909
Kay, M. G., *see* Seifert, R. W.
Khator, S. K., *see* Candido, M. A. B.
Khmelnitsky, E., *see* Kogan, K.
Kim, C.-O., Min, H.-S., and Yih, Y.: Integration of inductive learning and neural networks for multi-objective FMS scheduling 2497
Kim, D.-W., Choi, J.-S., and Nnaji, B. O.: Robot arc welding operations planning with a rotating/tilting positioner 957
Kim, I.-T., and Suh, H.-W.: Optimal operation grouping and sequencing technique for multistage machining systems 2061
Kim, S.-O., *see* Min, H.-S.
Kim, S.-S., *see* Cochran, J. K.
Kim, Y.-D., *see* Jeong, K.-C.
Kim, Y.-D., *see* Lee, D.-H.
Kleshchev, A. S., *see* Kryssanov, V. V.
Kochhar, J. S., and Heragu, S. S.: MULTI-HOPE: a tool for multiple floor layout problems 3421
Kogan, K., Khmelnitsky, E., and Maimon, O.: Balancing facilities in aggregate production planning: make-to-order and make-to-stock environments. . . . 2585
Kolbe, M., *see* Leisten, R.
Konishi, K., *see* Kryssanov, V. V.
Koo, P.-H., Tanchoco, J. M. A., and Talavage, J. J.: Estimation of tool requirements in single-stage multimachine systems 1699
Kotha, S., and Swamidass, P. M.: Advanced manufacturing technology use: exploring the effect of the nationality variable 3135
Koufteros, X. A., and Vonderembse, M. A.: The impact of organizational structure on the level of JIT attainment: towards theory development 2863
Krause, D. R., *see* Tan, K. C.

Krikke, H. R., van Harten, A., and Schuur, P. C.: On a medium term product recovery and disposal strategy for durable assembly products 111
Krishnamurthi, M., *see* Srebranig, S. F.
Kroughlicof, N., *see* Jaura, A.
Krüger, K., Sotskov, Y. N., and Werner, F.: Heuristics for generalized shop scheduling problems based on decomposition. 3013
Kruth, J.-P., *see* Van Zeir, G.
Kryssanov, V. V., Kleshchev, A. S., Fukuda, Y., and Konishi, K.: Building a logical model in the machining domain for CAPP expert systems. 1075
Kumar, S., *see* Veeramani, D.
Kumara, S. R. T., *see* Chen, Y.-T.
Kusiak, A., *see* Huang, C.-C.

Lai, C. D., *see* Lu, X. S.
Langevin, A., *see* Montulet, P.
Lashkari, R. S., *see* Atmani, A.
Lau, W. S., *see* Choi, C. K.
Lee, A., *see* De, S.
Lee, D.-H., and Kim, Y.-D.: Iterative procedures for multi-period order selection and loading problems in flexible manufacturing systems 2653
Lee, G. H.: Designs of components and manufacturing systems for agile manufacturing 1023
Lee, H. F.: Production planning for flexible manufacturing systems with multiple machine types: a practical method. 2911
Lee, J., and Unnikrishnan, S.: Planning quality inspection operations in multistage manufacturing systems with inspection errors 141
Lee, J.-M., and Chung, C. H.: Batching multiple products on parallel heterogenous machines in a closed job shop 2793
Lee, R. J. V., and Young, R. I. M.: Information supported design for manufacture of injection-moulded rotational products 3347
Lee, S. C., *see* Yang, M. Y.
Lee, S. S. G., *see* Spedding, T. A.
Lee, T.-M., *see* Yang, M.-Y.
Lee, T. S., *see* Corbett, L. M.
Lee, W. H., *see* Cheng, C. H.
Lee, W. L., *see* Spedding, T. A.
Lee, Y.-S.: Mathematical modelling using different endmills and tool placement problems for 4- and 5-axis NC complex surface machining 785
Legoff, O., and Hascoët, J. Y.: From CAD to computer aided welding 417
Leipälä, T., *see* Hemminki, J.
Leisten, R., and Kolbe, M.: A note on scheduling jobs with missing operations in permutation flow shops 2627
Li, R.-K., *see* Tu, Y.-M.
Liao, C.-J., and Lin, H.-T.: A case study in a dual resource constrained job shop. . 3095
Liao, C.-J., and Lin, H.-T.: Just-in-time manufacture of home-use sewing machines using backward scheduling 1841
Lin, A. C., *see* Liu, Q.
Lin, C.-C., *see* Tseng, Y.-J.
Lin, H.-T., *see* Liao, C.-J.
Lin, J. T., *see* Huang, S.-C.
Lindley, R. J., *see* Stockton, D. J.
Linsenmaier, T., *see* Bullinger, H.-J.
Liu, H.-C., *see* Ashiagbor, A.
Liu, Q., Zhang, C., and Lin, A. C.: Pattern recognition of machine tool faults with a fuzzy mathematics algorithm 2301
Lockamy, A., III, and Spencer, M. S.: Performance measurement in a theory of constraints environment 2045

Lopez, P., Esquirol, P., Haudot, L., and Sicard, M.: Cooperative system design in scheduling 211
Lu, W. L., and Hui, Y. V.: Economic design of high stress first burn-in processes. . 181
Lu, X. S., Xie, M., Goh, T. N., and Lai, C. D.: Control chart for multivariate attribute processes 3477
Luong, H. T., *see* Fujiwara, O.

Ma, L., *see* Yeung, J. H. Y.
Macchiaroli, R., *see* Agnetis, A.
Mahajan, S., Rao, B. V., and Peters, B. A.: A retrieval sequencing heuristic for miniload end-of-aisle automated storage/retrieval systems 1715
Maimon, O. Z., and Braha, D.: A genetic algorithm approach to scheduling PCBs on a single machine 761
Maimon, O., *see* Kogan, K.
Malhotra, M. K., *see* Jensen, J. B.
Malmborg, C. J., and Altassan, K. M.: Analysis of storage assignment policies in less than unit load warehousing systems 3459
Malmborg, C. J., Bukhari, F. A., and McDermott, C.: Predicting volume distance performance for layout problems with static distance functions 2339
Marchet, G., *see* Caron, F.
Maropoulos, P. G., *see* Baker, R. P.
Marty, J. C., Sahraoui, A. E. K., and Sartor, M.: Statecharts to specify the control of automated manufacturing systems 3183
Mascle, C.: Automatic *a priori, a posteriori* or appropriate determination of sub-assemblies 1001
Mata, V., and Tubaileh, A.: The machine layout problem in robot cells 1273
Mateos, S., *see* Cuesta, E.
Matzliach, B., and Tzur, M.: The online tool switching problem with non-uniform tool size 3407
Mavaddat, F., *see* Noori, H.
McDermott, C., *see* Malmborg, C. J.
McKoy, D. H. C., and Egbelu, P. J.: Minimizing production flow time in a process and assembly job shop 2315
McMullen, P. R., and Frazier, G. V.: Using simulated annealing to solve a multi-objective assembly line balancing problem with parallel workstations 2717
McPherson, R. F., and Preston White, K., Jr: Periodic flow line scheduling 51
Meeran, S., *see* Jain, A. S.
Meinert, T., and Taylor, G. D.: Robustness of capacity driven design strategies . . 2145
Metters, R.: General rules for production planning with seasonal demand 1387
Miltenburg, J., *see* Sparling, D.
Min, H.-S., *see* Kim, C.-O.
Min, H.-S., Yih, Y., and Kim, C.-O.: A competitive neural network approach to multi-objective FMS scheduling 1749
Montgomery, D. C., *see* Zimmer, L. S.
Montulet, P., Langevin, A., and Riopel, D.: Minimizing the peak load: an alternate objective for dedicated sotrage policies 1369
Moon, Y. B., *see* Kao, Y.
Moyer, L. K., and Gupta, S. M.: Development of the surface mount assembly process through an angular board orientation 1857
Mukhopadhyay, S. K., Singh, M. K., and Srivastava, R.: FMS machine loading: a simulated annealing approach 1529

Nagi, R., *see* Anwar, M. F.
Nakamura, N., *see* Takahashi, K.
Narendran, T. T., *see* Jayakrishnan Nair, G.
Nayak, G. K., and Acharya, D.: Part type selection, machine loading and part type volume determination problems in FMS planning 1801

Nee, A. Y. C., *see* Zhang, Y. F.
Nevalainen, O., *see* Hemminki, J.
Newman, S. T., Newnes, L. B., and Bell, R.: A multi-level modelling system for the design of flexible machining installations 2355
Newnes, L. B., *see* Newman, S. T.
Ng, T. L., *see* Choi, C. K.
Ngoi, B. K. A., Agarwal, M., and Chua, C. S.: The generic capsule approach to tolerance stack analysis 3273
Ngoi, B. K. A., and Cheong, K. C.: An alternative approach to assembly tolerance stack analysis. 3067
Nnaji, B. O., *see* Ashiagbor, A.
Nnaji, B. O., *see* Kim, D.-W.
Nof, S. Y., *see* Esfarjani, K.
Noori, H., and Mavaddat, F.: Enterprise integration: issues and methods 2083

O'Grady, P., *see* Cormier, D.
Okogbaa, O. G., *see* Albino, V.
Osman, M. O. M., *see* Jaura, A.
Ouenniche, J., and Boctor, F.: Sequencing, lot sizing and scheduling of several products in job shops: the common cycle approach 1125
Özdamar, L., and Bozyel, M. A.: Simultaneous lot sizing and loading of product families on parallel facilities of different classes 1305

Park, S. C., *see* Baek, D. H.
Parkhideh, B., *see* Parkhideh, S.
Parkhideh, S., and Parkhideh, B.: Design of a flexible zone individuals control chart 2259
Perego, A., and Rangone, A.: A reference framework for the application of MADM fuzzy techniques to selecting AMTS 437
Perego, A., *see* Caron, F.
Perona, M., *see* Cigolini, R.
Peters, B. A., *see* Mahajan, S.
Peters, B. A., *see* Rajasekharan, M.
Pflughoeft, K. A., and Hutchinson, G. K.: The effect of process flexibility on productivity for classes of similar job shops 1
Philipoom, P. R., *see* Jensen, J. B.
Phillips, M. D., *see* Cho, B.-R.
Popplewell, K., *see* Fung, R. Y. K.
Portioli, A., *see* Cigolini, R.
Preston White, K., Jr, *see* McPherson, R. F.
Proth, J.-M., *see* Chu, C.
Purushothaman, S., and Srinivasa, Y. G.: A procedure for training an artificial neural network with application to tool wear monitoring 635

Qiao, L., *see* Yang, Z.

Radson, D., *see* Boyd, A. H.
Rahim, M. A., and Ben-Daya, M.: A generalized economic model for joint determination of production run, inspection schedule and control chart design 277
Rajasekharan, M., Peters, B. A., and Yang, T.: A genetic algorithm for facility layout design in flexible manufacturing systems. 95
Rajotia, S., Shanker, K., and Batra, J. L.: A semi-dynamic time window constrained routeing strategy in an AGV system 35
Rajotia, S., Shanker, K., and Batra, J. L.: An heuristic for configuring a mixed uni/bidirectional flow path for an AGV system. 1779
Rajotia, S., Shanker, K., and Batra, J. L.: Determination of optimal AGV fleet size for an FMS 1177

Ramani, B., Cheraghi, S. H., and Twomey, J. M.: CAD-based integrated tolerancing system 2891
Ramesh, R., *see* Aldakhilallah, K. A.
Rangone, A., *see* Perego, A.
Rao, B. V., *see* Mahajan, S.
Rho, B.-H., *see* Corbett, L. M.
Rico, J. C., *see* Cuesta, E.
Riopel, D., *see* Montulet, P.
Rohleder, T. R., *see* Eckstein, A. L. H.
Roof, M. L., *see* Hopp, W. J.
Runger, G. C., *see* Zimmer, L. S.

Sabuncuoglu, I.: A study of scheduling rules of flexible manufacturing systems: a simulation approach 527
Sahraoui, A. E. K., *see* Marty, J. C.
Saladin, B. A., *see* Fry, T. D.
Samson, D., *see* Corbett, L. M.
Sandbothe, R. A.: Two observations on the grouping efficacy measures for goodness of block diagonal forms 3217
Sangaradas, K., *see* Fujiwara, O.
Sanii, E., *see* Cormier, D.
Sarker, B. R., and Balan, C. V.: Operations planning for a single-stage kanban system operating under linear demand 357
Sartor, M., *see* Marty, J. C.
Schuur, P. C., *see* Krikke, H. R.
Seifert, R. W., Kay, M. G., and Wilson, J. R.: Evaluation of AGV routeing strategies using hierarchical simulation 1961
Shang, J. S., and Tadikamalla, P. R.: Multicriteria design and control of a cellular manufacturing system through simulation and optimization 1515
Shanker, K., *see* Rajotia, S.
Shon, T.-Y., *see* Yang, M.-Y.
Shore, H.: A new approach to analysing non-normal quality data with application to process capability analysis 1917
Sicard, M., *see* Lopez, P.
Singh, M. K., *see* Mukhopadhyay, S. K.
Sinriech, D., *see* Barad, M.
Smith, A. E., *see* Coit, D. W.
Sofianopoulou, S.: Response to Srinivasan's note. 1449
Sonmez, A. I., and Baykasoglu, A.: A new dynamic programming formulation of $(n \times m)$ flowshop sequencing problems with due dates 2269
Sotskov, Y. N., *see* Krüger, K.
Sparling, D., and Miltenburg, J.: The mixed-model U-line balancing problem . . . 485
Spedding, T. A., de Souza, R., Lee, S. S. G., and Lee, W. L.: Optimizing the configuration of a keyboard assembly cell 2131
Spencer, M. S., *see* Lockamy, A., III
Srebranig, S. F., and Krishnamurthi, M.: A microeconomic modelling and analysis methodology for production quantity determination. 1493
Srinivasa, Y. G., *see* Purushothaman, S.
Srinivasan, G.: Discussion: A note on 'Application of simulated annealing to a linear model for the formulation of machine cells in group technology' 1445
Srivastava, R., *see* Mukhopadhyay, S. K.
Stahlman, E. J., and Cochran, J. K.: Dynamic metamodelling in capacity planning 197
Steele, D. C., *see* Fry, T. D.
Stockton, D. J., and Lindley, R. J.: Batch production using process sequence cells 2419
Su, C.-T., and Hsu, C.-M.: Multi-objective machine-part cell formation through parallel simulated annealing 2185
Su, C.-T., *see* Chen, M.-C.
Suarez, C. M., *see* Cuesta, E.

Suh, H.-W., *see* Kim, I.-T.
Sun, J. U., *see* Hwang, H.
Swamidass, P. M., *see* Kotha, S.

Tadikamalla, P. R., *see* Shang, J. S.
Takahashi, K., and Nakamura, N.: The effect of autocorrelated demand in JIT production systems 1159
Talavage, J. J., *see* Koo, P.-H.
Tam, K. Y., and Chan, S. K.: Solving facility layout problems with geometric constraints using parallel genetic algorithms: experimentation and findings . . 3253
Tan, K. C., Handfield, R. B., and Krause, D. R.: Enhancing the firm's performance through quality and supply base management: an empirical study 2813
Tanchoco, J. M. A., *see* Koo, P.-H.
Tang, G. R., *see* Wu, C. C.
Taylor, G. D., *see* Meinert, T.
Tiwari, M. K., and Vidyarthi, N. K.: An integrated approach to solving the process plan selection problem in an automated manufacturing system 2167
Tonchia, S., *see* De Toni, A.
Tseng, Y.-J.: Feature-based fixturing analysis for machining parts represented with multiple sets of features 2743
Tseng, Y.-J., and Joshi, S. B.: Recognition of interacting rotational and prismatiac machining features from 3-D mill-turn parts 3147
Tseng, Y.-J., and Lin, C.-C.: Analysis on multiple sets of feature-based tool paths for prismatic machining parts 3491
Tu, Y.-M., and Li, R.-K.: Constraint time buffer determination model 1091
Tubaileh, A., *see* Mata, V.
Tunc, E. A., *see* Gupta, J. N. D.
Twomey, J. M., *see* Ramani, B.
Tzur, M., *see* Matzliach, B.

Unnikrishnan, S., *see* Lee, J.
Urban, T. L.: Analysis of production systems when run length influences product quality 3085
Uzsoy, R., *see* Avramidis, A. N.

van Harten, A., *see* Krikke, H. R.
Van Zeir, G., Kruth, J.-P., and Detand, J.: A conceptual framework for interactive and blackboard based CAPP 1453
Vazquez, C. J., *see* Avella, L.
Veeramani, D., and Gau, Y.-S.: Models for tool-path optimization in patch-by-patch machining 1633
Veeramani, D., and Kumar, S.: Optimization of the nibbling operation on an NC turret punch press 1901
Venkatesh, V. C., *see* Kattan, I. A.
Vidyarthi, N. K., *see* Tiwari, M. K.
Vinelli, A., *see* Filippini, R.
Vonderembse, M. A., *see* Koufteros, X. A.

Wang, C., *see* Chu, C.
Wang, M. H., *see* Johnson, M. R.
Webster, S., Jog, P. D., and Gupta, A.: A genetic algorithm for scheduling job families on a single machine with arbitrary earliness/tardiness penalties and an unrestricted common due date 2543
Werner, F., *see* Krüger, K.

Weston, R. H.: A comparison of the capabilities of software tools designed to support the rapid prototyping of flexible and extendible manufacturing systems . . . 291
Weston, R. H., *see* Barber, M. I.
Wilson, G. R., *see* Akturk, M. S.
Wilson, J. R., *see* Seifert, R. W.
Wong, K. F., *see* Cheng, C. H.
Wong, K. W., *see* Wong, T. N.
Wong, T. N., and Wong, K. W.: Feature-based design by volumetric machining features. 2839
Wong, W. C. K., *see* Yeung, J. H. Y.
Wu, C. C., and Tang, G. R.: Tolerance design for products with asymmetric quality losses 2529
Wu, H.-C., and Chang, T.-C.: Automated set-up selection in feature-based process planning 695
Wu, M.-C.: Justification of concurrent engineering environments based on fuzzy mathematics 2025
Wu, N.: A concurrent approach to cell formation and assignment of identical machines in group technology 2099
Wu, Z.: An adaptive acceptance control chart for tool wear 1571

Xie, J., *see* Fung, R. Y. K.
Xie, M., *see* Lu, X. S.

Yang, M. Y., and Lee, S. C.: A feature modification framework for the generation of alternative process plans 1825
Yang, M.-Y., Shon, T.-Y., and Lee, T.-M.: Cam profile machining by triarc fitting . 1767
Yang, T., *see* Rajasekharan, M.
Yang, Z., Qiao, L., and Jiang, L.: Improving the performances of part dispatching based on multiple process plans using graph theory 1987
Yeh, M.-S., and Yeh, W.-C.: Deadlock prediction and avoidance for zone-control AGVS 2879
Yeh, W.-C., *see* Yeh, M.-S.
Yeung, J. H. Y., Wong, W. C. K., and Ma, L.: Parameters affecting the effectiveness of MRP systems: a review 313
Yih, Y., *see* Chang, T.-M.
Yih, Y., *see* Kim, C.-O.
Yih, Y., *see* Min, H.-S.
Yoon, W. C., *see* Baek, D. H.
Young, R. I. M., *see* Lee, R. J. V.
Yue, X., *see* Fujiwara, O.
Yue, Y., *see* Gindy, N. N. Z.

Zha, X. F., *see* Choi, C. K.
Zhang, C., *see* Liu, Q.
Zhang, Y. F., and Nee, A. Y. C.: Setup planning using Hopfield net and simulated annealing 981
Zhu, C.-F., *see* Gindy, N. N. Z.
Zhu, Z., *see* Heady, R. B.
Zimmer, L. S., Montgomery, D. C., and Runger, G. C.: Evaluation of a three-state adaptive sample size $\bar{X}$ control chart 733